



**ECO-VALVES**

Ecological Draining Solutions

# Floating Roof

## Automatic Shutoff & Alert Draining Valve

### Type: TOR

### Environmental Safety Unit





## Floating Roof - Automatic Shutoff & Alert Draining Valve Environmental Safety Unit

The TOR model is a normally open, specific-gravity sensitive valve, which closes upon sensing a hydrocarbon product. It is commonly used as a safety requirement for the draining of rainwater from floating roofs of hydrocarbon product storage tanks and oil water separator systems as a safety shutoff valve. In the event of storage product ingress into the drain tubing or roof or the OWS water outlet, the TOR Valve will sense the presence of the product and will immediately close, preventing product loss, pollution and spillage.

The TOR model is installed on the outlet flange of the roof's manual drain valve, of the storage tank. It forms a constantly open passage ready to drain any rainwater that accumulates on the storage tank roof and is ready to immediately close in the event of product ingress into the drain system.

When the TOR closes, the factory fitted magnetic proximity switch immediately sends a feedback signal to a remote position monitoring system, alerting the relevant authority and enabling speedy corrective action. The TOR is designed to require minimum maintenance, and to last the lifetime of the tank.

Each valve is assembled and tested in ECO's ISO 9001 certified manufacturing plant. Introduced to the industry 25 years ago, the TOR is a time proven product used by the largest oil companies worldwide and backed by the Global Service Network of Eco - Valves Ltd.



### Features and Benefits

- High accuracy
- Rapid reaction
- Very low maintenance
- No external power supply needed
- Integral Strainer
- Open/Closed position Indicator/Alarm
- Integral automatic air vent/air eliminator
- Limit switch: Atex/IECEX/Nema Certified, approved for hazardous areas

Cover

Air  
eliminator

Air eliminator float

"S" tube

Guide/strainer

Float

Seal

Limit switch





## Principle of Operation

### Normal Operation (Standby)




The TOR valve is normally open and connected to the drain pipe outlet valve [1] of the storage tank floating roof. When conditions are dry, the valve remains open and in a standby mode, ready to drain any rainwater that enters into the drain pipe and to immediately close in the event of product ingress to the drainage system of the storage tank.

### Normal Operation (Draining)

During rainfall, water drains via the normally open TOR valve, the float [2] floats in the water and the open valve allows the flow of water from the roof to the drain [3] in a regular fashion. As water enters the TOR any air which may have accumulated inside the valve or which is drawn down during high flows, will be immediately expelled by the air eliminator [4], ensuring continued safe and reliable functioning of the drain. During the draining process the Integral Strainer helps to keep the valve seat free of debris and dirt typical of floating roofs that otherwise might compromise the sealing integrity of the valve.

### Reaction to Drainage System Failure

In the event of product ingress to the drainage system, for example a rupture in the drain pipe [5], product enters into the TOR valve and the float [2] immediately sinks in the lighter fluid thereby sealing the TOR valve and preventing product spillage. The limit switch [6] will detect the valve's closed position which will be immediately conveyed to the relevant service unit enabling speedy corrective action.









## Technical Specifications

Part	Material
Valve Body and Cover	Carbon Steel
Internal Parts	Stainless Steel
Seals	FKM
Coating	Fusion Bonded Epoxy Blue RAL 5017
Plugs	Stainless Steel
Bolts	Stainless Steel
Inlet Flange Connection	ANSI #150 RF B16.5 4"
Drain Outlet Pipe	2"
Limit Switch	Stainless Steel – Certified for Hazardous Locations
Working Pressure	2.5 bar - 36 psi
Approx Weight	87 kg / 192 lb

## Dimensions



## Flow Chart



Product

Water



**ECO-VALVES**  
Ecological Draining Solutions